


## FL1 / No. 178.6764

formerly No. 511

## PC Mount, FK1 Blade Fuses

## Specifications



### Fuse Series

FK1 - No.168.6785 and FUN - No.125.6785

### Mounting

PC Board, (2) Solder pins and plastic stud

### Materials

Holder: Black Thermoplastic, UL 94V0  
Metal parts: Copper alloy, tin-plated for soldering

### Electrical Data (23°C)

Rated Voltage: 125V  
Rated Current: 20A

### Unit Weight/Packaging

1.5g / Bulk (1000 pcs.)

### Order Number

Holder No. 178.6764.0002

## FLR / No. 178.6165

formerly No. 512

## PC Mount, FK2 Blade Fuses

### Fuse Series

FK2 - No. 162.6385 and TAC - No. 142.6185

### Mounting

PC Board, (8) Solder pins and plastic stud

### Materials

Holder: Black Thermoplastic, UL 94V0  
Metal parts: Copper alloy, tin-plated for soldering

### Electrical Data (23°C)



Rated Voltage: 80V  
Rated Current: 30A

### Unit Weight/Packaging

3.0g / Bulk (500 pcs.)

### Order Number

Holder No. 178.6165.0002



## FKH / No. 178.6152

formerly No. 513

## In-Line Type, FK2 Blade Fuses

### Fuse Series

FK2 - No. 162.6385 and TAC - No. 142.6185

### Mounting

In-line, for use with customer-provided cables

### Materials

Holder: Black Thermoplastic, UL 94V0  
Metal parts: Copper alloy, corrosion protected  
Terminals: Crimp-type for 1.5 - 2.5mm<sup>2</sup> cable

### Electrical Data (23°C)


Rated Voltage: 80V  
Rated Current: 30A

### Unit Weight/Packaging

3.0g / Bulk (500 pcs.)

### Order Number

Holder No. 178.6152.0002



## FH3 / No. 279.6805

formerly No. 514

## In-Line Type, FK3 Blade Fuses

### Fuse Series

FK3 - No. 169.6885 and TOE - No. 142.6885

### Mounting

In-line, for use with customer-provided cables

### Materials

Holder: Black Thermoplastic, UL 94V0  
Metal parts: Copper alloy, corrosion protected  
Terminals: Crimp-type

### Electrical Data (23°C)



Rated Voltage: 80V  
Rated Current: 80A

### Unit Weight/Packaging

37g / Bulk (10 pcs.)

### Order Numbers

Holder,  $\leq 4\text{mm}^2$  cable No. 279.68xx.0402  
Holder,  $\leq 10\text{mm}^2$  cable No. 279.68xx.0602  
Holder,  $\leq 16\text{mm}^2$  cable No. 279.68xx.1602



Use No. 279.6850 to add plastic cover for IP54 protection category.